


(A)  
L=55.00'  
R=330.00'  
Δ=09°32'57"  
C=54.94'  
N 23°56'36" E

EX. SANITARY MH. #6  
RIM= 621.55  
INV.= 608.69

EX. INLET MH. #1A  
RIM=621.58  
INV.=614.86

GRAPHIC SCALE



### GENERAL NOTES:

1. BENCHMARK - TOP STEM OF EXISTING FIRE HYDRANT LOCATED IN FRONT SUBLOT 240, ELEVATION = 623.97
2. DRIVEWAY APRON TO BE 6" THICK CONCRETE.
3. ALL DOWNSPOUTS TO BE OUTLETTED TO SPLASH BLOCKS.
4. CONTRACTOR RESPONSIBLE FOR CONTACTING THE OHIO UTILITY PROTECTION SERVICE (1.800.362 2764) AND ALL UTILITY COMPANIES A MINIMUM OF 48 HOURS PRIOR TO CONSTRUCTION.
5. THE LOCATION BOTH HORIZONTAL AND VERTICAL OF EXISTING UNDERGROUND UTILITIES SHOWN HEREON, HAVE BEEN OBTAINED BY A DILIGENT AND COMPREHENSIVE SEARCH OF AVAILABLE RECORDS. VERIFICATION BY FIELD OBSERVATION HAS BEEN CONDUCTED WHERE PRACTICAL, HOWEVER, BARRINGTON CONSULTING GROUP, INC DOES NOT GUARANTEE THE COMPLETENESS, NOR ACCURACY THEREOF.
6. CONTRACTOR SHALL VERIFY ELEVATIONS OF LATERAL INVERTS IN THE FIELD PRIOR TO FOUNDATION EXCAVATION.
7. SEE SHEET 2 FOR EROSION AND SEDIMENT-CONTROL PLAN
8. SEE SHEET 2 FOR SEEDING INFORMATION

### CERTIFICATION :


"I THE UNDERSIGNED HEREBY CERTIFIES THAT THIS TOPOGRAPHY INDICATED BY 1 FOOT CONTOURS AND ELEVATION SHOWN HEREON REPRESENTS AN ACTUAL SURVEY MADE BY ME ON THE 12th DAY OF NOVEMBER, 2004 AND THE ELEVATIONS WERE TAKEN AT AN APPROPRIATE INTERVAL AND AS OF THAT DAY THEY EXISTED AS INDICATED HEREON.

"I HEREBY CERTIFY THAT THIS PLAN WAS PREPARED BY ME AND IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF"

DAVID W. NOVAK, P.S. No. 7507

CERT 12/05

Stormwater Management Plan  
Approved as shown and/or noted  
JAMES R. GILLS, PE  
County Drainage Engineer  
By D.S. Date 7/27/05



**Barrington**  
CONSULTING GROUP, INC.

DOWNSPOTS SHALL NOT BE DIRECTED TOWARD ADJACENT BLDGS.  
CONNECT SUMP PUMP TO STORM CONNECTION

REVISIONS	BY

**Barrington**  
CONSULTING GROUP, INC.  
9114 TYLER BLVD., MENTOR, OHIO 44060  
PHONE 440.205.1260 FAX 440.205.1262  
BCG@BarringtonCGI.com



**SITE PLAN**  
SIL 203 OUTRIGGER COVE, PAINESVILLE TWP, OHIO 44077  
LAKE ERIE SHORES PH.3 VOL. 48 PG. 4  
**LITTLE MOUNTAIN HOMES, INC.**

DRAWN W.S.O.
CHECKED D.W.N.
DATE JULY 26, 2005
SCALE 1" = 20'
JOB NO 04114-203
SHEET 1/2
OF SHEETS